ACUPUNCTURE

WHAT IS ACUPUNCTURE?

There are two distinct systems of acupuncture with very different theoretical bases:

1. MERIDIAN OR BODY ACUPUNCTURE.

Body acupuncture, the most familiar Chinese medicine approach to Westerners, involves the placement of needles in the meridian points.[1] Needles are not hollow like injection or IV needles. They are usually 0.22-0.25 mm in diameter (much smaller than needles used in Western medicine) and of variable lengths. A typical acupuncture session may include the insertion of anywhere from a few needles to dozens of them. Practitioners are taught very specific ways to locate each point based on various anatomical markers. For example, Pericardium 6 (the 6th point on the pericardium meridian) is two finger widths up the arm away from wrist crease between two of the forearm tendons.[2] This point is stimulated by motion-sickness bracelets, which have become increasingly popular in recent years and have shown benefit in some studies. [3]

Acupuncture points, or *jing*, are located along chi pathways, which are also known as meridians. Meridians follow paths longitudinally, or sometimes internally-externally in the body. There are also collaterals (*luo*), which follow horizontal patterns. *Jing-luo* regulate the flow of chi and the balance of yin and yang in a person. Illness arises when flow through them becomes blocked or imbalanced. There are 361 acupuncture points along 20 meridians (numbers may vary slightly, depending on the acupuncture tradition). Photos of each meridian, with detailed descriptions, can be viewed at <u>chiro.org</u> or <u>acumedico.com</u>. All of these factors come into play when an acupuncturist is trying to determine where to insert needles. Different meridians are named after different organs, but more than just the organs themselves, these energy pathways are governed by the properties or functions that given organs are said to represent. Points often have evocative names, such as "Supreme Spring" and "Woodworm Ditch."[2]

Key degrees and certifications incorporating Chinese medicine include the following:

- DAc—Diplomate of Acupuncture
- DOM—Doctor of Oriental Medicine
- LAc or LicAc—Licensed Acupuncturist
- MAc—Master of Acupuncture
- MOM—Master of Oriental Medicine
- OMD—Oriental Medical Doctor
- RAc—Registered Acupuncturist
- CAc—Certified Acupuncturist (usually a physician trained in acupuncture)

Licensed acupuncturists can now be hired in the VA, and all VA sites are expected to offer acupuncture, either onsite, or in the community.

2. MICROSYSTEM ACUPUNCTURE.

Microsystem acupuncture works very differently as compared to body (or meridian) acupuncture. The term "microsystem acupuncture" was introduced by Dr. Ralph Alan Dale at the 1974 Third World Symposium on Acupuncture and Chinese Medicine to distinguish it from the traditional body or macro-acupuncture system.

Microsystem acupuncture is based on particular somatotopic fields comprising specific points of correspondence. That is, a specific part of the body—such as the ear, scalp, foot, hand or tongue—has a microsystem of points that is mapped out to be used to treat the entire body. That map is called a somatotopic map. It is similar to the somatotopic homunculus, the map of the cerebral hemispheres that shows which parts of the body are connected with which parts of the brain. Each of the microsystem points has a clearly defined correlation to a particular organ or function and may be used for diagnosis as well as treatment.[4,5] Several theoretical models have been proposed to explain the microsystems, including the holographic model.[6,7]

Battlefield Acupuncture is a 5-point protocol derived from the auricular microsystem, a map of acupuncture points on the ear that are held to be connected to other parts of the body. Many VA sites have begun to offer Battlefield Acupuncture (BFA). Battlefield acupuncture was developed by Dr. Richard Niemtzow in 2001 as a way of relieving pain that could even be used in wartime.[8] It involves the insertion of extremely small, gold-plated needles into five specific acupoints.[9] These are left in until they fall out by themselves, usually after a period of 2-7 days.[2] It works well to have Veterans receive the needles during group visits.[10] BFA is being taught more frequently to VA clinicians. It has been taught in conjunction with the Whole Health for Pain and Suffering course.

National Acupuncture Detoxification Association (NADA) Protocol is another 5-point ear acupuncture protocol used for stress, emotional trauma and adjunctive addiction treatment.[11] This protocol involves gentle placement of up to five sterilized needles into specific sites on each ear. The recipients sit quietly in a group setting for 30 to 45 minutes allowing the treatment to take effect. A variety of health care practitioners can get trained in this protocol and certified as Auricular Detoxification Specialists. These trainings are conducted all over the country by NADA-certified trainers through public and private agencies, acupuncture schools, and individual practitioners. State laws vary when it comes to non-acupuncturists practicing "acudetox."

HOW ACUPUNCTURE WORKS

There are many theories about how acupuncture works from a physics/biochemistry perspective.[12] Traditionally, the Chinese hold that health is related to the flow of qi (energy) and acupuncture allows it to flow. [13] Western researchers have proposed many theories based on our current scientific understanding, including that acupuncture may stimulate release of certain neurotransmitters, that it causes cells to release chemicals that bind to opioid receptors and block pain, and/or that it alters hormone levels and white blood cell activity.[14] Purine-based signaling,[15] nitric oxide release,[16] and

stimulation of multiple biochemical mechanisms that promote homeostasis[17] have also been suggested as potential mechanisms of action.[18] Acupuncture points have a slightly warmer temperature than other points on the body.[19] A 2020 study on mice found that after about 3 minutes of foot acupuncture, blood flow to a mouse's eyes significantly increased when specific acupuncture points were used.[20]

Several theories about how acupuncture works relate to the central nervous system. Functional MRI studies have shown that needling specific acupuncture points (actual ones only, not sham ones) does indeed stimulate certain parts of the brain to change activity.[21,22] Inhibition of the microglia in the central nervous system may also play a role.[23] In vitro studies indicate that acupuncture prevents apoptosis (cell death) in a variety of neurological diseases.[24] Manual and electroacupuncture seem to stimulate different parts of the brain.[25] Acupuncture increases body production of neurotrophic factors which can stimulate the creation of new nervous system pathways.[26] In animal studies, it also dilates blood vessels in the cerebral cortex[27] and promotes neuroplasticity.[28] A 2018 review of 44 fMRI studies of different parts of the brain found that "true" acupuncture alters the activity of functional networks in the brain relative to sham acupuncture, where random points are used.[29]

WHO CAN USE ACUPUNCTURE?

Most people can use acupuncture. Children may do better with acupressure, as may others who tend to dislike needles. Remind people that the needles are a much smaller diameter than IV or injection needles, and they are not hollow; most people find that this makes them much less painful. Some acupuncturists will, in lieu of needles, use a small amount tape to attach small seeds to acupuncture points to stimulate them that way instead. One advantage of acupuncture is that needles can be inserted at a distance from a particularly painful, tender, or inflamed area and still have potential benefit.

WHEN TO USE ACUPUNCTURE: EFFICACY

Because acupuncture is used much more widely in the U.S. (and in the VA) than any other aspect of Chinese medicine, and because it has been researched much more thoroughly, it has received the most attention when it comes to research on efficacy and safety. Acupuncture research is challenging to do. Having a placebo group is tricky and having "sham" acupuncture—using needles in non-points—sometimes proves superior to no treatment at all and equivalent in effect to "real" acupuncture. In addition, like so many complementary integrative health (CIH) approaches, acupuncture therapy is individualized, so two people with the same Western medical diagnosis may be treated in very different ways.

In January 2014, the Department of Veterans Affairs Evidence-Based Synthesis Program (ESP) Center, created an evidence map for acupuncture.[30] This "review of reviews" created visual overviews of the distribution of evidence for acupuncture and created summaries that could be used to "inform policy and clinical decision making." 183

Acupuncture

systematic reviews met inclusion criteria. Three main domains were given attention: pain (65 studies), mental health (20 studies), and wellness (48 studies).

As of the time of the creation of the evidence maps in 2014, research was most favorable for acupuncture as a treatment for the following[21]:

- Cancer adverse effects
- Chronic pain
- Depression
- Dysmenorrhea
- Headache (in general)
- Irritable bowel syndrome (IBS)
- Migraine
- Osteoarthritis
- Postoperative nausea and vomiting
- Smoking cessation

In the past few years, there has been a huge increase in the number of available reviews and meta-analyses focused on acupuncture. While almost all conclude that more research is needed, studies have shown favorable results for all of the following conditions (and the list is by no means exhaustive):

- Alzheimer's disease[31]
- Analgesia for acute pain conditions[32]
- Angina (stable)[33]
- Allergic rhinitis[34]
- Anxiety[35]
- Bell's palsy[36]
- Cancer adverse effects
- Carpal tunnel syndrome[37]
- Chronic back pain[38]
- Chronic knee pain[39]
- Chronic low back pain[40,41]
- Chronic pain,[1,42,43] including in group treatments[44]
- Chronic Obstructive Pulmonary Disease[43,45]
- Depression[46]
- Dry eyes[47]
- Dysmenorrhea[48,49]
- Endometriosis pain[50]

- Fibromyalgia[51]
- Functional constipation[52]
- Functional dyspepsia [53]
- Gastroesophageal reflux[54]
- Headaches
- Insomnia related to depression[55]
- Male sexual function[56]
- Migraine without aura[57]
- Myofascial pain[58]
- Opioid addiction[59]
- Osteoarthritis of the knee[60]
- Osteoporosis[61]
- Parkinson's disease[62,63]
- Postoperative pain, nausea/vomiting, anxiety[64]
- Premenstrual syndrome[65]
- Shingles pain [66]
- Temporomandibular joint disorder[67]
- Tension-type headaches[68]
- Tobacco use[69]
- Weight loss[70]

Recent reviews have *not* shown benefit for acupuncture for dry mouth,[71] hip osteoarthritis,[72] alcohol withdrawal,[73] carpal tunnel syndrome,[74] rheumatoid arthritis,[75] hypertension,[76] or cancer-related pain.[77,78] Evidence is insufficient (as of May 2020) to know if there is a benefit for neuropathic pain,[78,79]neck pain,[80] obesity,[81] glaucoma,[82] polycystic ovarian syndrome (PCOS),[83] gastroparesis,[84]

xerostomia (dry mouth),[71] general insomnia,[85,86] overactive bladder,[87] in vitro fertilization success,[88] or cardiovascular disease.[89] There is promise for acupuncture in treating PTSD, benign prostatic hyperplasia,[90] chronic prostatitis/chronic pelvic pain syndrome,[91] acute stroke, insulin resistance,[92] congestive heart failure,[93], chronic fatigue syndrome,[94,95] sleep disorders,[96] and stroke (rehabilitation), and tinnitus as well,[97] but more studies are needed.[98]

Battlefield Acupuncture research. In many recipients, BFA is reported to reduce pain for hours to months. A study of 112 Veterans who attended group clinics reported a decrease in various types of pain by 88% on post-treatment day 0; 81% at day 1; 52% at day 7; and 51% at post-treatment day 40.[99] A 2017 review noted that more research is needed before BFA can be considered an evidence-based approach,[100] though a 2017 review of 10 studies found a small benefit and noted that adverse effects were "minor and transient."[101]

WHAT TO WATCH OUT FOR (HARMS)

A 2017 overview of 17 systematic reviews noted that serious adverse events, such as deaths, infections, and local reactions are possible but rarely occur.[102] A 2014 review concluded that acupuncture appears to be safe in anticoagulated patients when done at the appropriate depth in the appropriate locations.[103] The 2014 VA review of reviews on acupuncture, referenced above, also looked at adverse effects.[21]

- In the "Pain" studies, 12 reviews addressed adverse events, and all of these were minor—for example, bruising, temporary pain, faintness, and discomfort. They were comparable to adverse effects for control groups.
- Of the "Mental Health" reviews, 6 addressed adverse events. Most studies found no or minimal events. Adverse events from acupuncture were lower in number than those for antidepressants (10.2% versus 40.4%).
- In reviews of acupuncture for overall "Wellness," 13 reviews noted adverse events. Again, reporting rates were rare. There was one report of a patient dropping out of a study because of pain.

A search through four Chinese journals found 1,038 total adverse event case reports up through 2010. Of these, 35 were cases where fatalities resulted, primarily because acupuncture was performed by someone who was not appropriately trained. Overly aggressive needling in the chest cavity can potentially cause pneumothorax; a 2019 study of over 411,000 patients in Taiwan found that the rate of this was 0.87 per 100,000 treatments.[104] Risk increased for people with chronic bronchitis, emphysema, pneumonia, lung cancer, and tuberculosis. Poor sterile technique can lead to transmission of infection; in the U.S., nearly all practitioners use disposable needles, so this is less of a concern. In the U.S., hospital-related adverse events occur at a much higher rate.[105] Caution should also be used if someone is on blood-thinning medications or has uncontrolled seizures.

A 2012 review of all known complications related to acupuncture reported to the British National Health Service noted 325 incidents that met inclusion criteria. They concluded that "Adverse events reported include retained needles (31%), dizziness (30%), loss of consciousness/ becoming unresponsive (19%), falls (4%), bruising or soreness at needle site (2%), pneumothorax (1%), and other adverse reactions (12%). The majority (95%) of the incidents were categorized as low or no harm." [106]

Because acupuncture has a relaxing effect, it is important that people be careful they are not too drowsy to operate machinery after treatment. Exercise discretion as far as tolerability in people with severe needle phobias or severe mental health concerns. As a side note, there are reports of imported herbal supplements from China, which may be used in association with acupuncture, being adulterated with toxic compounds.[107]

TIPS FROM YOUR WHOLE HEALTH COLLEAGUES

Acupuncturists often say that how long one needs to receive acupuncture (i.e. the number of sessions) is proportional to time a person has had a disorder; that is, if a problem is chronic, it will take longer to respond to acupuncture. Many therapists will suggest one to three sessions a week for the first few weeks and then scale back. Acute issues may heal with just one session. A 2017 meta-analysis of 20 trials including nearly 6,400 chronic pain patients found that "…approximately 90% of the benefit of acupuncture relative to controls would be sustained at 12 months." [108]

Chinese medicine takes an entirely different perspective on the origins of illness. When a complex person seemingly has multiple unrelated complaints/concerns from a Western perspective, it may be that acupuncture will actually have an explanatory model that can account for them all.

Researchers have called for more formal clinical practice guidelines, now that acupuncture has been gaining more of a foothold in conventional medical settings.[109]

RESOURCES

WHOLE HEALTH AND OTHER VA RESOURCES

- Evidence Map of Acupuncture:
 - https://www.hsrd.research.va.gov/publications/esp/acupuncture.cfm
 - Compilation of systematic review data by VA Health Services Research and Development (HSR&D)
- <u>Integrative Health Coordinating Center SharePoint of Acupuncture and Battlefield</u>
 Acupuncture:
 - https://dva.sharepoint.com/sites/VHAOPCC/IHCC/SitePages/Acupuncture.aspx
- CIH Listservs. To be added, contact
 - o Acupuncture listserv: <u>VHAOPCC&CTAcupuncture@va.gov</u>
 - o Other listservs: <u>Lana.Frankenfield@va.gov</u>

- National CIH Subject Matter Experts, as of FY 2020
 - o Acupuncture: Juli Olson. Juli.Olson@va.gov
 - o Battlefield Acupuncture: <u>VHABFASUPPORT@va.gov</u>
- Whole Health for Pain and Suffering: https://www.va.gov/WHOLEHEALTHLIBRARY/courses/whole-health-for-pain-and-suffering.asp

OTHER WEBSITES

- <u>Traditional Chinese Medicine: What You Need to Know.</u> https://www.nccih.nih.gov/health/traditional-chinese-medicine-what-you-need-to-know
 - National Center for Complementary and Integrative Health.
- Qi Journal of Traditional Eastern Health & Fitness. https://www.qi-journal.com
- <u>Yin-Yang House</u>. http://www.yinyanghouse.com/
 - Introduction to Chinese medicine and has a comprehensive set of acupuncture meridian diagrams.

BOOKS

- Acupressure's Potent Points: A Guide to Self-Care for Common Ailments, Michael Gach (1990)
- Between Heaven and Earth: A Guide to Chinese Medicine, Harriet Beinfield (1992)
- Chinese Self Massage Therapy: The Easy Way to Health, Ya-Li Fan (1999)
- The Web That Has No Weaver: Understanding Chinese Medicine, Ted Kaptchuk (2000)
- *Voices of Qi*, Alex Holland (2000)

AUTHOR

"Acupuncture" was written by <u>J. Adam Rindfleisch</u>, MPhil, MD (2020).

This Whole Health tool was made possible through a collaborative effort between the University of Wisconsin Integrative Health Program, VA Office of Patient Centered Care and Cultural Transformation, and Pacific Institute for Research and Evaluation.

REFERENCES

- Lemmon R. Acupuncture for pain: 7 questions answered. *J Fam Pract.* 2018;67(4):224-230.
- 2 Acupuncture.com. Acupuncture point locations. 2014; http://www.acupuncture.com/education/points/. Published 2014. Accessed July 23, 2020.
- Wright LD. The use of motion sickness bands to control nausea and vomiting in a group of hospice patients. *Am J Hosp Palliat Care.* 2005;22(1):49-53.

- 4 Hecker H-U, Steveling A, Peuker ET. *Microsystems Acupuncture The Complete Guide: Ear, Scalp, Mouth, Hand* 1ed: Thieme; 2011.
- 5 Oleson T. *Auriculotherapy Manual, Third Edition.* Churchill Livingstone; 2003.
- Rakovi D. Quantum-holographic framework for consciousness & acupuncture: psychosomatic-cognitive implications. 2019.
- Raković D, et al. Quantum decoherence and quantum-holographic information processes: from biomolecules to biosystems. *Trans Tech Publications*. 2006;518:485-490.
- 8 Niemtzow R. Battlefield acupuncture. *Med Acupunct*. 19(4).
- 9 Walker PH, Pock A, Ling CG, Kwon KN, Vaughan M. Battlefield acupuncture: Opening the door for acupuncture in Department of Defense/Veteran's Administration health care. *Nurs Outlook*. 2016;64(5):491-498.
- Federman DG, Poulin LM, Ruser CB, Kravetz JD. Implementation of shared medical appointments to offer battlefield acupuncture efficiently to veterans with pain. *Acupunct Med.* 2018;36(2):124-126.
- OceanColleen. What is NADA Protocol? Acudetox website. https://acudetox.com/nada-protocol/. Accessed July 23, 2020.
- Li F, He T, Xu Q, et al. What is the Acupoint? A preliminary review of Acupoints. *Pain Med.* 2015;16(10):1905-1915.
- Zhou W, Benharash P. Effects and mechanisms of acupuncture based on the principle of meridians. *J Acupunct Meridian Stud.* 2014;7(4):190-193.
- Therapeutic Research Center (TRC). Acupuncture. 2019; Natural Medicines. Health & Wellness online database.

 https://naturalmedicines.therapeuticresearch.com/databases/health-wellness/professional.aspx?productid=1219. Accessed September 29, 2019.
- Tang Y, Yin HY, Rubini P, Illes P. Acupuncture-induced analgesia: a neurobiological basis in purinergic signaling. *Neuroscientist.* 2016;22(6):563-578.
- Ma SX. Nitric oxide signaling molecules in acupoints: toward mechanisms of acupuncture. *Chin J Integr Med.* 2017;23(11):812-815.
- 17 Xu Y, Guo Y, Song Y, et al. A new theory for acupuncture: promoting robust regulation. *J Acupunct Meridian Stud.* 2018;11(1):39-43.
- Quiroz-Gonzalez S, Torres-Castillo S, Lopez-Gomez RE, Jimenez Estrada I. Acupuncture points and their relationship with multireceptive fields of neurons. *J Acupunct Meridian Stud.* 2017;10(2):81-89.
- Yang Z, Zhou M, Wang X, et al. Review on skin temperature of acupoints. *Zhongguo Zhen Jiu.* 2017;37(1):109-114.
- Nishinaka A, Nitta K, Seki T, Hara H, Shimazawa M. The changes in blood flow seen in the eye after foot acupuncture treatment in mice. *Evid Based Complement Alternat Med.* 2020;2020:6405471.
- Romoli M, Allais G, Airola G, et al. Ear acupuncture and fMRI: a pilot study for assessing the specificity of auricular points. *Neurol Sci.* 2014;35 Suppl 1:189-193.
- Jin L, Sun J, Xu Z, Yang X, Liu P, Qin W. Intersubject synchronisation analysis of brain activity associated with the instant effects of acupuncture: an fMRI study. *Acupunct Med.* 2018;36(1):14-20.
- Lin L, Skakavac N, Lin X, et al. Acupuncture-induced analgesia: the role of microglial inhibition. *Cell Transplant.* 2016;25:621-628.

- Cai W, Shen W-D. Anti-apoptotic mechanisms of acupuncture in neurological diseases: a review. *Am J Chin Med.* 2018;46(3):515-535.
- Kong J, Ma L, Gollub RL, et al. A pilot study of functional magnetic resonance imaging of the brain during manual and electroacupuncture stimulation of acupuncture point (LI-4 Hegu) in normal subjects reveals differential brain activation between methods. *J Altern Complement Med.* 2002;8(4):411-419.
- Shin HK, Lee S-W, Choi BT. Modulation of neurogenesis via neurotrophic factors in acupuncture treatments for neurological diseases. *Biochem Pharmacol.* 2017;141:132-142.
- Uchida S. Cholinergic vasodilative system in the cerebral cortex: effects of acupuncture and aging. *J Acupunct Meridian Stud.* 2014;7.
- Xiao L-Y, Wang X-R, Ye Y, et al. Applications of acupuncture therapy in modulating plasticity of central nervous system. *Neuromodulation*. 2017;21:762-776.
- Cai R-l, Shen G-m, Wang H, Guan Y-y. Brain functional connectivity network studies of acupuncture: a systematic review on resting-state fMRI. *J Integr Med.* 2018;16(1):26-33.
- Hempel S, Taylor SL, Solloway MR, et al. *Evidence map of acupuncture.* Washington, DC: Department of Veterans Affairs; 2013.
- Jia Y, Zhang X, Yu J, et al. Acupuncture for patients with mild to moderate Alzheimer's disease: a randomized controlled trial. *BMC Complement Altern Med.* 2017;17(1):556.
- Jan AL, Aldridge ES, Rogers IR, Visser EJ, Bulsara MK, Niemtzow RC. Review article: does acupuncture have a role in providing analgesia in the emergency setting? A systematic review and meta-analysis. *Emerg Med Australas.* 2017;29(5):490-498.
- Liu Y, Meng HY, Khurwolah MR, et al. Acupuncture therapy for the treatment of stable angina pectoris: An updated meta-analysis of randomized controlled trials. *Complement Ther Clin Pract.* 2019;34:247-253.
- Zhang J, Zhang Y, Huang X, et al. Different acupuncture therapies for allergic rhinitis: overview of systematic reviews and network meta-analysis. *Evid Based Complement Alternat Med.* 2020;2020:8363027.
- Amorim D, Amado J, Brito I, et al. Acupuncture and electroacupuncture for anxiety disorders: A systematic review of the clinical research. *Complement Ther Clin Pract.* 2018;31:31-37.
- Zhang R, Wu T, Wang R, Wang D, Liu Q. Compare the efficacy of acupuncture with drugs in the treatment of Bell's palsy: a systematic review and meta-analysis of RCTs. *Medicine*. 2019;98(19):e15566.
- Bahrami-Taghanaki H, Azizi H, Hasanabadi H, et al. Acupuncture for carpal tunnel syndrome: a randomized controlled trial studying changes in clinical symptoms and electrodiagnostic tests. *Altern Ther Health Med.* 2020;26(2):10-16.
- Moura CC, Chaves ECL, Cardoso A, Nogueira DA, Azevedo C, Chianca TCM. Auricular acupuncture for chronic back pain in adults: a systematic review and metanalysis. *Rev Esc Enferm USP.* 2019;53:e03461.
- Zhang Q, Yue J, Golianu B, Sun Z, Lu Y. Updated systematic review and meta-analysis of acupuncture for chronic knee pain. *Acupunct Med.* 2017;35(6):392-403.

- Oliveira CB, Maher CG, Pinto RZ, et al. Clinical practice guidelines for the management of non-specific low back pain in primary care: an updated overview. *Eur Spine J.* 2018;27(11):2791-2803.
- Chou R, Deyo R, Friedly J, et al. Nonpharmacologic therapies for low back pain: a systematic review for an American College of Physicians Clinical Practice Guideline. *Ann Intern Med.* 2017;166(7):493-505.
- Fan AY, Miller DW, Bolash B, et al. Acupuncture's role in solving the opioid epidemic: evidence, cost-effectiveness, and care availability for acupuncture as a primary, non-pharmacologic method for pain relief and management-white paper 2017. *J Integr Med.* 2017;15(6):411-425.
- Hsieh PC, Yang MC, Wu YK, et al. Acupuncture therapy improves health-related quality of life in patients with chronic obstructive pulmonary disease: A systematic review and meta-analysis. *Complement Ther Clin Pract.* 2019;35:208-218.
- Kligler B, Nielsen A, Kohrherr C, et al. Acupuncture therapy in a group setting for chronic pain. *Pain Med.* 2018;19(2):393-403.
- Maekura T, Miki K, Miki M, Kitada S, Maekura R. Clinical effects of acupuncture on the pathophysiological mechanism of chronic obstructive pulmonary disease during exercise. *Int J Chron Obstruct Pulmon Dis.* 2019;14:2787-2798.
- Smith CA, Hay PP, Macpherson H. Acupuncture for depression. *Cochrane Database Syst Rev.* 2010(1):Cd004046.
- Kim BH, Kim MH, Kang SH, Nam HJ. Optimizing acupuncture treatment for dry eye syndrome: a systematic review. *BMC Complement Altern Med.* 2018;18(1):145.
- Woo HL, Ji HR, Pak YK, et al. The efficacy and safety of acupuncture in women with primary dysmenorrhea: A systematic review and meta-analysis. *Medicine*. 2018;97(23):e11007.
- Smith CA, Armour M, Zhu X, Li X, Lu ZY, Song J. Acupuncture for dysmenorrhoea. *Cochrane Database Syst Rev.* 2016;4:Cd007854.
- Xu Y, Zhao W, Li T, Zhao Y, Bu H, Song S. Effects of acupuncture for the treatment of endometriosis-related pain: A systematic review and meta-analysis. *PLoS One.* 2017;12(10):e0186616.
- Salazar AP, Stein C, Marchese RR, Plentz RD, Pagnussat AS. Electric stimulation for pain relief in patients with fibromyalgia: a systematic review and meta-analysis of randomized controlled trials. *Pain physician*. 2017;20(2):15-25.
- Bai T, Song C, Zheng C, Huang G. Acupuncture for the treatment of functional constipation. *J Tradit Chin Med.* 2016;36(5):578-587.
- Lan L, Zeng F, Liu GJ, et al. Acupuncture for functional dyspepsia. *Cochrane Database Syst Rev.* 2014(10):Cd008487.
- Zhu J, Guo Y, Liu S, et al. Acupuncture for the treatment of gastro-oesophageal reflux disease: a systematic review and meta-analysis. *Acupunct Med.* 2017;35(5):316-323.
- Dong B, Chen Z, Yin X, et al. The efficacy of acupuncture for treating depression-related insomnia compared with a control group: a systematic review and meta-analysis. *Biomed Res Int.* 2017;2017:9614810.
- Tsai M-Y, Liu C-T, Chang C-C, Chen S-Y, Huang S-T. Overview of the relevant literature on the possible role of acupuncture in treating male sexual dysfunction. *Acupunct Med.* 2014:acupmed-2014-010592.

- Xu S, Yu L, Luo X, et al. Manual acupuncture versus sham acupuncture and usual care for prophylaxis of episodic migraine without aura: multicentre, randomised clinical trial. *BMJ.* 2020;368:m697.
- Li X, Wang R, Xing X, et al. Acupuncture for myofascial pain syndrome: a network meta-analysis of 33 randomized controlled trials. *Pain physician*. 2017;20(6):E883-e902.
- Gong C-z, Liu W. Acupuncture and the opioid epidemic in America. *Chin J Integr Med.* 2018;24(5):323-327.
- Sun N, Tu JF, Lin LL, et al. Correlation between acupuncture dose and effectiveness in the treatment of knee osteoarthritis: a systematic review. *Acupunct Med.* 2019;37(5):261-267.
- Pan H, Jin R, Li M, Liu Z, Xie Q, Wang P. The effectiveness of acupuncture for osteoporosis: a systematic review and meta-analysis. *Am J Chin Med.* 2018;46(3):489-513.
- Noh H, Kwon S, Cho SY, et al. Effectiveness and safety of acupuncture in the treatment of Parkinson's disease: A systematic review and meta-analysis of randomized controlled trials. *Complement Ther Med.* 2017;34:86-103.
- Yin C, Buchheit TE, Park JJ. Acupuncture for chronic pain: an update and critical overview. *Curr Opin Anaesthesiol.* 2017;30(5):583-592.
- Acar HV. Acupuncture and related techniques during perioperative period: A literature review. *Complement Ther Med.* 2016;29:48-55.
- Armour M, Ee CC, Hao J, Wilson TM, Yao SS, Smith CA. Acupuncture and acupressure for premenstrual syndrome. *Cochrane Database Syst Rev.* 2018;8:Cd005290.
- 66 Coyle ME, Liang H, Wang K, et al. Acupuncture plus moxibustion for herpes zoster: A systematic review and meta-analysis of randomized controlled trials. *Dermatol Ther.* 2017;30(4).
- Fernandes AC, Duarte Moura DM, Da Silva LGD, De Almeida EO, Barbosa GAS. Acupuncture in temporomandibular disorder myofascial pain treatment: a systematic review. *J Oral Facial Pain Headache*. 2017;31(3):225-232.
- Linde K, Allais G, Brinkhaus B, et al. Acupuncture for the prevention of tension-type headache. *Cochrane Database Syst Rev.* 2016;4:Cd007587.
- 69 Sibbritt D, Peng W, Lauche R, Ferguson C, Frawley J, Adams J. Efficacy of acupuncture for lifestyle risk factors for stroke: A systematic review. *PLoS One.* 2018;13(10):e0206288.
- Kim SY, Shin IS, Park YJ. Effect of acupuncture and intervention types on weight loss: a systematic review and meta-analysis. *Obes Rev.* 2018;19(11):1585-1596.
- Assy Z, Brand HS. A systematic review of the effects of acupuncture on xerostomia and hyposalivation. *BMC Complement Altern Med.* 2018;18(1):57.
- Manheimer E, Cheng K, Wieland LS, et al. Acupuncture for hip osteoarthritis. *Cochrane Database Syst Rev.* 2018(5).
- Liu X, Qin Z, Zhu X, Yao Q, Liu Z. Systematic review of acupuncture for the treatment of alcohol withdrawal syndrome. *Acupunct Med.* 2018;36(5):275-283.
- 74 Choi GH, Wieland LS, Lee H, Sim H, Lee MS, Shin BC. Acupuncture and related interventions for the treatment of symptoms associated with carpal tunnel syndrome. *Cochrane Database Syst Rev.* 2018;12:Cd011215.

- Ramos A, Dominguez J, Gutierrez S. Acupuncture for rheumatoid arthritis. *Medwave.* 2018;18(6):e7284.
- Yang J, Chen J, Yang M, et al. Acupuncture for hypertension. *Cochrane Database Syst Rev.* 2018;11:Cd008821.
- Anshasi HA, Ahmad M. An assessment of methodological quality of systematic reviews of acupuncture and related therapies for cancer-related pain. *Complement Ther Clin Pract.* 2018;32:163-168.
- Paley CA, Johnson MI, Tashani OA, Bagnall AM. Acupuncture for cancer pain in adults. *Cochrane Database Syst Rev.* 2015(10):Cd007753.
- Ju ZY, Wang K, Cui HS, et al. Acupuncture for neuropathic pain in adults. *Cochrane Database Syst Rev.* 2017;12:Cd012057.
- Trinh K, Graham N, Irnich D, Cameron ID, Forget M. Acupuncture for neck disorders. *Cochrane Database Syst Rev.* 2016(5):Cd004870.
- Zhang K, Zhou S, Wang C, Xu H, Zhang L. Acupuncture on obesity: clinical evidence and possible neuroendocrine mechanisms. *Evid Based Complement Alternat Med.* 2018;2018:6409389.
- Law SK, Li T. Acupuncture for glaucoma. *Cochrane Database Syst Rev.* 2013(5):Cd006030.
- Lim CED, Ng RWC, Cheng NCL, Zhang GS, Chen H. Acupuncture for polycystic ovarian syndrome. *Cochrane Database Syst Rev.* 2019(7).
- Kim KH, Lee MS, Choi TY, Kim TH. Acupuncture for symptomatic gastroparesis. *Cochrane Database Syst Rev.* 2018(12).
- Cao HJ, Yu ML, Wang LQ, Fei YT, Xu H, Liu JP. Acupuncture for primary insomnia: an updated systematic review of randomized controlled trials. *J Altern Complement Med.* 2019;25(5):451-474.
- He W, Li M, Zuo L, et al. Acupuncture for treatment of insomnia: An overview of systematic reviews. *Complement Ther Med.* 2019;42:407-416.
- 87 Mak TC, Chen HY, Cho WC. Acupuncture for overactive bladder in adults: a systematic review and meta-analysis. *Acupunct Med.* 2019;37(6):321-331.
- Gu YE, Zhang X, Zhang Q, et al. The effects of acupuncture on pregnancy outcomes of in vitro fertilization with embryo transfer: An interdisciplinary systematic review. *J Gynecol Obstet Hum Reprod.* 2019;48(8):677-684.
- de Lima Pimentel R, Duque AP, Moreira BR, Rodrigues LFJ. Acupuncture for the treatment of cardiovascular diseases: a systematic review. *J Acupunct Meridian Stud.* 2019;12(2):43-51.
- Zhang W, Ma L, Bauer BA, Liu Z, Lu Y. Acupuncture for benign prostatic hyperplasia: A systematic review and meta-analysis. *PLoS One.* 2017;12(4):e0174586.
- 91 Qin Z, Zang Z, Zhou K, et al. Acupuncture for chronic prostatitis/chronic pelvic pain syndrome: a randomized, sham acupuncture controlled trial. *J Urol.* 2018;200(4):815-822.
- Song AQ, Zhang YP, Chen R, Liang FX. Is acupuncture effective for improving insulin resistance? A systematic review and meta-analysis. *Curr Med Sci.* 2018;38(6):1109-1116.
- Ni YM, Frishman WH. Acupuncture and cardiovascular disease: focus on heart failure. *Cardiol Rev.* 2018;26(2):93-98.

Acupuncture

- Wang T, Xu C, Pan K, Xiong H. Acupuncture and moxibustion for chronic fatigue syndrome in traditional Chinese medicine: a systematic review and meta-analysis. *BMC Complement Altern Med.* 2017;17(1):163.
- 25 Zhang Q, Gong J, Dong H, Xu S, Wang W, Huang G. Acupuncture for chronic fatigue syndrome: a systematic review and meta-analysis. *Acupunct Med.* 2019;37(4):211-222.
- Cheng FK. The effectiveness of acupuncture on sleep disorders: a narrative review. *Altern Ther Health Med.* 2020;26(1):26-48.
- Tu JF, Kim M, Yang JW, et al. Influence of acupuncture on autonomic balance in adult tinnitus patients: an exploratory study. *Curr Med Sci.* 2019;39(6):947-953.
- 98 Xu M, Li D, Zhang S. Acupuncture for acute stroke. *Cochrane Database Syst Rev.* 2018;3:Cd003317.
- Federman DG, Radhakrishnan K, Gabriel L, Poulin LM, Kravetz JD. Group battlefield acupuncture in primary care for veterans with pain. *South Med J.* 2018;111(10):619-624.
- Federman DG, Gunderson CG. Battlefield acupuncture: is it ready for widespread dissemination? *South Med J.* 2017;110(1):55-57.
- Murakami M, Fox L, Dijkers MP. Ear acupuncture for immediate pain relief-a systematic review and meta-analysis of randomized controlled trials. *Pain Med.* 2017;18(3):551-564.
- 102 Chan MWC, Wu XY, Wu JCY, Wong SYS, Chung VCH. Safety of acupuncture: overview of systematic reviews. *Sci Rep.* 2017;7(1):3369.
- McCulloch M, Nachat A, Schwartz J, Casella-Gordon V, Cook J. Acupuncture safety in patients receiving anticoagulants: a systematic review. *Perm J.* 2015;19(1):68-73.
- Lin SK, Liu JM, Hsu RJ, Chuang HC, Wang YX, Lin PH. Incidence of iatrogenic pneumothorax following acupuncture treatments in Taiwan. *Acupunct Med.* 2019;37(6):332-339.
- Levinson DR. Adverse events in hospitals: national incidence among Medicare beneficiaries. Department of Health and Human Services: Office of the Inspector General. 2010. https://oig.hhs.gov/oei/reports/oei-06-09-00090.pdf. Accessed January 30, 2020.
- Wheway J, Agbabiaka TB, Ernst E. Patient safety incidents from acupuncture treatments: a review of reports to the National Patient Safety Agency. *Int J Risk Saf Med.* 2012;24(3):163-169.
- Ernst E, Coon JT. Heavy metals in traditional Chinese medicines: a systematic review. *Clin Pharmacol Ther.* 2001;70(6):497-504.
- MacPherson H, Vertosick EA, Foster NE, et al. The persistence of the effects of acupuncture after a course of treatment: a meta-analysis of patients with chronic pain. *Pain.* 2017;158(5):784-793.
- Stephen B, Soo LM, Terje A, Tae-Hun K. Overview of treatment guidelines and clinical practical guidelines that recommend the use of acupuncture: a bibliometric analysis. *JACM.* 2018;24(8):752-769.